

Network Digital Signage

Floor Standing LCD DS Player, Slim Style



Introduction

The Slim Style Floor-standing Network Digital Signage LCD Player is the embedded based digital signage system, which is a multi-media system available for various digital networks. The multi-media information such as video, images, HTML and scrolling messages...will be controlled and delivered via central server to displays.

The powerful DSLJ100 Management software is featured with simple installation, centralized management, web-based management software, etc. What's more, according to different regions and audiences, it is capable of a level-to-level management, targeting at specific audience and cover publication of various information required by an enterprise.

Features:

- Samsung and LG Original LED Panel;
- Full HD 1080P;
- Free DSLJ100 Management Software;
- Managed over Internet or LAN;
- Support LAN, WiFi, 3G/4G

Network Digital Signage

Floor Standing LCD DS Player, Slim Style

Datasheet

Model	LJ-55S	LJ-49S	LJ-43S	
Panel	Size	55 Inches LED Back light	49 Inches LED Back light	43 Inches LED Back light
	Display Area	1209.6*680.4mm	1073.78*604mm	941*529mm
	Display Resolution	1920*1080		
	Aspect Ratio	16:9		
	Brightness	450 cd/m ²	450 cd/m ²	450 cd/m ²
	Contrast	1100:1	3000:1	3000:1
	Color	16.7M	16.7 M	16.7M
	Response Time	12ms	12ms	6.5ms
	Backlight Life Cycle	≥50,000 hours		
	Viewing Angle	178° / 178° / 178° / 178° (L/R/U/D)		
Power	Consumption	150W	90W	70W
	Input	100-240VAC, 50/60HZ		
Dimensions	Net Dimension	1950*855*92mm	1875*790*92mm	1830*690*92mm
	Net Weight	70Kg	61Kg	58Kg
Others	Panel Cover	6mm Tempering Glass		
	Speaker	2 * 8Ω / 5W		
	Accessories	Power Cord, Remote, Key		
	Working Temperature	0°C ~ 55°C		
	Working Humidity	20% ~ 80%		
	Storage Temperature	-20°C ~ 65°C		
Storage Humidity	10% ~ 90%			
Android Solution	Processor	ARM Cortex-A9, Dual-core 1.6G		
	Storage	Default 16GB SD Card		
	Android OS	Android 4.4.2		
	Network	10/100 Mbps Fast Ethernet & WiFi 802.11b/g		
	Optional	Built-in 3G/4G Module		
Media Support	Media Format	Video/Audio/Picture/Scrolling text/RSS/Webpage/Date/Time/Weather/Logo...		
	Multiple Zones Display	Support multiple zones on screen		

Network Digital Signage

Floor Standing LCD DS Player, Slim Style

Datasheet

Model	LJ-65I	LJ-70I	LJ-84I	
Panel	Size	65 Inches LED Back light	70 Inches LED Back light	84 Inches LED Back light
	Display Area	803.52*1428.48mm	1549*872mm	3840*2160mm
	Display Resolution	1920*1080		
	Aspect Ratio	16:9		
	Brightness	350 cd/m ²	350 cd/m ²	300 cd/m ²
	Contrast	1100:1	3000:1	1400:1
	Color	16.7M	16.7 M	16.7M
	Response Time	12ms	12ms	6.5ms
	Backlight Life Cycle	≥50,000 hours		
	Viewing Angle	178° / 178° / 178° / 178° (L/R/U/D)		
Power	Consumption	150W	90W	70W
	Input	100-240VAC, 50/60HZ		
Dimensions	Net Dimension	2230*1005*177.5mm	2134*1052*158mm	2321*1217*150mm
	Net Weight	150Kg	180Kg	260Kg
Others	Panel Cover	6mm Tempering Glass		
	Speaker	2 * 8Ω / 5W		
	Accessories	Power Cord, Remote, Key		
	Working Temperature	0°C ~ 55°C		
	Working Humidity	20% ~ 80%		
	Storage Temperature	-20°C ~ 65°C		
	Storage Humidity	10% ~ 90%		
Android Solution	Processor	ARM Cortex-A9, Dual-core 1.6G		
	Storage	Default 16GB SD Card		
	Android OS	Android 4.4.2		
	Network	10/100 Mbps Fast Ethernet & WiFi 802.11b/g		
	Optional	Built-in 3G/4G Module		
Media Support	Media Format	Video/Audio/Picture/Scrolling text/RSS/Webpage/Date/Time/Weather/Logo...		
	Multiple Zones Display	Support multiple zones on screen		

Network Digital Signage Floor Standing LCD DS Play

Display Effect



نمایش اوقات شرعی از طریق ابزارک



متن روان

ساعت و تقویم

از طریق آدرس

URL

عکس زمینه

وضعیت آب و هوا

عکس یا فیلم با تنظیم زمان دلخواه نمایش و عوض شدن

Software

DSLJ100 Management Software:

- ↳ Web-Based Interface (Using by IE browser)
- ↳ Support unlimited players
- ↳ Multiple-Corporation support
- ↳ Content Management
- ↳ Playlist Scheduling, Layout Change
- ↳ User Management, Reporting