

Network Digital Signage Floor Standing LCD DS Player, iPhone Style



Introduction

The iPhone Style Floor-standing Network Digital Signage LCD Player is the embedded based digital signage system, which is a multi-media system available for various digital networks. The multi-media information such as video, images, HTML and scrolling messages...will be controlled and delivered via central server to displays.

The powerful DSLJ100 Management software is featured with simple installation, centralized management, web-based management software, etc. What's more, according to different regions and audiences, it is capable of a level-to-level management, targeting at specific audience and cover publication of various information required by an enterprise.

Features:

- Samsung and LG Original LED Panel;
- Full HD 1080P;
- Free DSLJ100 Management Software;
- Managed over Internet or LAN;
- Support LAN, WiFi, 3G/4G

Network Digital Signage

Floor Standing LCD DS Player, iPhone Style

Datasheet

Model	LJ-55	LJ-49	LJ-43	
Panel	Size	55 Inches LED Back light	49 Inches LED Back light	43 Inches LED Back light
	Display Area	1209.6*680.4mm	1073.78*604mm	941*529mm
	Display Resolution	1920*1080		
	Aspect Ratio	16:9		
	Brightness	450 cd/m ²	450 cd/m ²	450 cd/m ²
	Contrast	1100:1	3000:1	3000:1
	Color	16.7M	16.7 M	16.7M
	Response Time	12ms	12ms	6.5ms
	Backlight Life Cycle	≥50,000 hours		
	Viewing Angle	178° / 178° / 178° / 178° (L/R/U/D)		
Power	Consumption	150W	90W	70W
	Input	100-240VAC, 50/60HZ		
Dimensions	Net Dimension	1950*866*100mm	1950*780.5*70mm	1814*691*70mm
	Net Weight	119Kg	81.8Kg	82.6Kg
Others	Panel Cover	6mm Tempering Glass		
	Speaker	2 * 8Ω / 5W		
	Accessories	Power Cord, Remote, Key		
	Working Temperature	0°C ~ 55°C		
	Working Humidity	20% ~ 80%		
	Storage Temperature	-20°C ~ 65°C		
Android Solution	Storage Humidity	10% ~ 90%		
	Processor	ARM Cortex-A9, Dual-core 1.6G		
	Storage	Default 16GB SD Card		
	Android OS	Android 4.4.2		
	Network	10/100 Mbps Fast Ethernet & WiFi 802.11b/g		
Media Support	Optional	Built-in 3G/4G Module		
	Media Format	Video/Audio/Picture/Scrolling text/RSS/Webpage/Date/Time/Weather/Logo...		
	Multiple Zones Display	Support multiple zones on screen		
Touch Panel (Optional)	Touch Panel	IR Touch	IR Touch	IR Touch
	Touch Point	6 Points, Max to 10 Points	6 Points, Max to 10 Points	6 Points, Max to 10 Points
	Active Size	1209.6*680.4mm	1073.78*604mm	941*529mm
	Touch Medium	Finger	Finger	Finger
	Luminousness	> 95%	> 95%	> 95%
	Resolution	32767*32767	32767*32767	32767*32767
	Mini touch Area	5mm	5mm	5mm
	Touch Precision	2mm	2mm	2mm
	Touch Response Time	≤20ms	≤20ms	≤20ms
Touch Life Span	No Limit	No Limit	No Limit	



Network Digital Signage Floor Standing LCD DS Player, iPhone Style

Display Effect



نمایش اوقات شرعی از طریق ابزارک



متن روان

ساعت و تقویم
از طریق آدرس

URL

عکس زمینه

وضعیت آب و هوا

عکس یا فیلم با تنظیم زمان دلخواه نمایش و عوض شدن

Software

DSLJ100 Management Software:

- ↳ Web-Based Interface (Using by IE browser)
- ↳ Support unlimited players
- ↳ Multiple-Corporation support
- ↳ Content Management
- ↳ Playlist Scheduling, Layout Change
- ↳ User Management, Reporting

